

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in MSR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	43	14	a	8	5	a	51	11	a
Black, not Hispanic	250	82	a	142	94	a	392	86	a
Hispanic	10	3	a	0	0	a	10	2	a
Asian/Pacific Islander	0	0	a	*	1	a	*	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	1	a	0	0	a	*	1	a
Total	306	100	a	151	100	a	457	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR, by sex and age at diagnosis, 2004

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	*	0	*	1	*	0
13-14	0	0	0	0	0	0
15-24	56	18	33	22	89	19
25-34	93	30	47	31	140	31
35-44	91	30	33	22	124	27
45-54	46	15	29	19	75	16
55-64	14	5	7	5	21	5
>=65	*	2	*	1	*	1
Total	306	100	151	100	457	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR, by sex and exposure category, 2004

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	173	57	a	a	173	38
Injection drug use (IDU)	*	1	*	1	6	1
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	22	7	88	58	110	24
Mother with/at risk for HIV	*	0	*	1	*	0
Other/unknown	106	35	60	40	166	36
Total	306	100	151	100	457	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR, by race/ethnicity and exposure category, 2004

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	31	61	138	35	*	30	0	0	0	0	*	33	173	38
Injection drug use (IDU)	*	2	*	1	*	20	0	0	0	0	0	0	*	1
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	8	104	27	*	20	0	0	0	0	0	0	110	24
Mother with/at risk for HIV	0	0	*	1	0	0	0	0	0	0	0	0	*	0
Other/unknown	15	29	145	37	*	30	*	100	0	0	*	67	166	36
Total	51	100	392	100	10	100	*	100	0	0	*	100	457	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR, by sex and tuberculosis comorbidity, 2004

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	304	99	150	99	454	99
Definitive case	*	1	*	1	*	1
Presumptive case	0	0	0	0	0	0
Total	306	100	151	100	457	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MSR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	14	14	a	*	4	a	16	11	a
Black, not Hispanic	86	84	a	43	93	a	129	87	a
Hispanic	*	1	a	*	2	a	*	1	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	1	a	0	0	a	*	1	a
Total	102	100	a	46	100	a	148	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	321	292	336	305	306	5,278
Females	169	165	173	132	151	1,950
Total	490	457	509	437	457	7,228

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in MSR, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	57	66	60	42	51	1,477
Black, not Hispanic	424	385	430	385	392	5,633
Hispanic	5	*	12	6	10	78
Asian/Pacific Islander	*	*	0	*	*	8
American Indian/Alaska Native	0	0	*	0	0	4
Unknown/Multiple Race	*	*	*	*	*	28
Total	490	457	509	437	457	7,228

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in MSR, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	*	73
13-14	0	*	*	*	0	10
15-24	106	97	81	81	89	1,235
25-34	147	117	159	125	140	2,791
35-44	149	130	143	139	124	2,029
45-54	57	82	90	67	75	788
55-64	24	19	23	17	21	220
>=65	*	8	8	*	6	82
Total	490	457	509	437	457	7,228

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in MSR, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	194	170	201	173	173	3,353
Injection drug use (IDU)	26	19	10	8	6	503
Male-to-male sex and IDU	*	8	0	*	0	283
Heterosexual contact	210	164	147	97	110	1,935
Mother with/at risk for HIV	*	*	*	*	*	63
Other/unknown	53	93	147	154	166	1,091
Total	490	457	509	437	457	7,228

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in MSR, by year of diagnosis and sex

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	179	177	249	207	217	3,198
Females	92	98	107	77	74	922
Total	271	275	356	284	291	4,120

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in MSR, by year of diagnosis and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	37	29	42	21	28	963
Black, not Hispanic	229	242	306	255	254	3,084
Hispanic	*	*	*	6	5	47
Asian/Pacific Islander	0	0	*	0	0	3
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	*	*	*	*	*	20
Total	271	275	356	284	291	4,120

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MSR, by year of diagnosis and age at diagnosis

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	*	0	0	17
13-14	0	0	0	0	0	2
15-24	32	27	30	20	23	321
25-34	91	83	107	73	83	1,574
35-44	99	91	118	112	106	1,422
45-54	36	58	74	65	56	576
55-64	10	9	21	11	18	155
>=65	*	7	5	*	5	53
Total	271	275	356	284	291	4,120

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in MSR, by year of diagnosis and exposure category

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	106	110	156	135	130	2,123
Injection drug use (IDU)	28	18	26	13	17	368
Male-to-male sex and IDU	7	5	5	0	*	219
Heterosexual contact	114	111	118	78	67	1,038
Mother with/at risk for HIV	0	0	*	0	0	15
Other/unknown	16	31	50	58	73	357
Total	271	275	356	284	291	4,120

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR, by year and sex

	2000	2001	2002	2003	2004
Sex	No.	No.	No.	No.	No.
Males	2,619	2,792	2,988	3,177	3,381
Females	1,068	1,175	1,292	1,386	1,491
Total	3,687	3,967	4,280	4,563	4,872

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR, by year and race/ethnicity

	2000	2001	2002	2003	2004
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	734	774	805	829	864
Black, not Hispanic	2,907	3,143	3,406	3,660	3,923
Hispanic	30	33	45	48	56
Asian/Pacific Islander	*	5	5	6	7
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	11	11	17	18	20
Total	3,687	3,967	4,280	4,563	4,872

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR, by year and current age

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	32	35	39	42	44
13-14	*	*	*	*	*
15-24	110	137	183	244	319
25-34	842	935	1,045	1,137	1,245
35-44	1,527	1,602	1,684	1,761	1,841
45-54	893	943	992	1,029	1,064
55-64	219	250	268	279	289
>=65	60	61	65	67	66
Total	3,687	3,967	4,280	4,563	4,872

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR, by year and exposure category

	2000	2001	2002	2003	2004
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	1,673	1,770	1,888	1,991	2,106
Injection drug use (IDU)	285	285	275	271	270
Male-to-male sex and IDU	135	138	129	124	118
Heterosexual contact	1,122	1,221	1,303	1,356	1,416
Mother with/at risk for HIV	43	46	50	53	55
Other/unknown	429	507	635	768	907
Total	3,687	3,967	4,280	4,563	4,872

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MSR, by year of death and sex

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	114	119	140	116	102	1,897
Females	32	58	56	38	46	459
Total	146	177	196	154	148	2,356

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MSR, by year of death and race/ethnicity

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	21	26	29	18	16	613
Black, not Hispanic	120	149	167	131	129	1,710
Hispanic	*	*	0	*	*	22
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	2
Unknown/Multiple Race	*	*	0	*	*	8
Total	146	177	196	154	148	2,356

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MSR, by year of death and age at death

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	10
13-14	0	0	0	0	0	0
15-24	*	17	5	6	8	93
25-34	43	40	38	32	28	753
35-44	48	67	69	64	51	899
45-54	32	40	62	39	40	402
55-64	15	5	16	10	14	130
>=65	*	8	6	*	7	69
Total	146	177	196	154	148	2,356

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MSR, by year of death and exposure category

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	71	73	83	70	58	1,247
Injection drug use (IDU)	16	19	20	12	7	233
Male-to-male sex and IDU	6	5	9	7	6	165
Heterosexual contact	42	65	65	44	50	519
Mother with/at risk for HIV	0	0	0	0	0	8
Other/unknown	11	15	19	21	27	184
Total	146	177	196	154	148	2,356

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.